

Copernicus Maintenance Team

GSS COTS Installation



Role/Title	Name	Signature	Date
Authors	Giuseppe Presta		28/05/2024
Verified/Approved	Elisabetta Giuliani, Giulia Carosi		28/05/2024

Change Register

Version/Rev.	Date	Description
1.0	13/02/2023	First version of the document
1.1	22/03/2023	Updated Version
1.2	17/10/2023	Updated Version
1.3	28/05/2024	<ul style="list-style-type: none">• Section 1.3: updated document applicability• Section 1.5: updated GSS SDD and Administration Manual versions• Section 2.5.3: added procedure to manage contingency case of no space left on Solr and Zookeeper containers

Table of Contents

1.	Introduction.....	4
1.1	Scope	4
1.2	Purpose	4
1.3	Document applicability	4
1.4	Document structure	4
1.5	Reference documents.....	4
1.6	Acronym and Abbreviations	5
2.	GSS COTS Installation	6
2.1	Overview.....	6
2.2	Docker engine installation.....	6
2.3	Docker compose installation.....	7
2.4	Postgres installation	7
2.4.1	Pre-Requisite	7
2.4.2	Installation	9
2.5	SOLR installation.....	9
2.5.1	Pre-Requisite	9
2.5.2	Installation	9
2.5.3	Contingency: No space left on containers	11
2.6	Kafka installation	12

1. Introduction

1.1 Scope

This document applies to the GAEL Store Service (GSS) and is maintained within the service "Collaborative Data Hub Software Maintenance and Evolution Services for Digital Twin Earth" hereinafter called "the Collaborative service".

1.2 Purpose

This document aims to detail step-by-step instructions to install, configure and use all the software necessary to properly run the GSS.

1.3 Document applicability

Please note that this document is referring to DHS#6 of GSS, according to GSS Administration Manual as per RD-1

Document version	Component	DHS Release
1.3	GSS	DHS#6

1.4 Document structure

The document is structured as follows:

- Section 1 (this section) contains scope and purpose, providing document structure, reference documents and definitions/acronyms.
- Section 2 contains an overview of the GSS COTS Installation with detailed description of all its components.

1.5 Reference documents

Table 1 - Reference Documents

Ref.	Title	Reference and Version
RD-1.	Collaborative Data Hub Software GSS Administration Manual	GAEL-P311-GSS-CDH-Administration Manual, 1.6.5
RD-2.	Collaborative Data Hub Software GSS Software Design Document	GAEL_P311 – GSS-CDH-SDD, v1.7.3

1.6 Acronym and Abbreviations

Table 2 - Acronyms and Abbreviations

Acronym	Definition
GSS	GAEL Store Service
COTS	Commercial-Off-The-Shelf

2. GSS COTS Installation

2.1 Overview

This is a list of all the software necessary for the installation of the GSS with the related installation procedures, grouped in different tables for each software to install.

2.2 Docker engine installation

This procedure is referred to 24.0.5 Docker engine version.

Docker Engine version required by GSS: 20.10.12 and after

Table 3 Docker engine installation procedure

Step ID	Step Description	Expected Results
1.	<p>As Administrator, access via SSH to the VM where the docker engine should be installed.</p> <p>Log in as root user, and perform the following steps to install the docker engine:</p> <ol style="list-style-type: none"> 1) apt update 2) apt install apt-transport-https ca-certificates curl gnupg2 software-properties-common 3) curl -fsSL https://download.docker.com/linux/debian/gpg apt-key add - 4) add-apt-repository "deb [arch=amd64] https://download.docker.com/linux/debian \$(lsb_release -cs) stable" 5) apt update 6) apt-cache policy docker-ce 7) apt install docker-ce 8) systemctl status docker 9) docker --version 	The "docker --version" reports correctly the docker version installed.
2.	<p>Execute the following step post-installation:</p> <ol style="list-style-type: none"> 1) groupadd docker 2) usermod -a -G docker dhs 3) apt install gnupg2 pass 	All commands successfully performed.

2.3 Docker compose installation

This procedure is referred to 1.29.2 docker compose version.

Docker compose version required by GSS: 1.29.0 and after

Table 4 Docker compose installation procedure

Step ID	Step Description	Expected Results
1	<p>As Administrator, access via SSH to the VM where the docker compose should be installed.</p> <p>Log in as root user, and perform the following steps to install the docker compose:</p> <ol style="list-style-type: none"> 1) curl -L "https://github.com/docker/compose/releases/download/1.29.2/docker-compose-\$(uname -s)-\$(uname -m)" -o /usr/local/bin/docker-compose 2) chmod +x /usr/local/bin/docker-compose 3) docker-compose --version 	<p>The "docker-compose --version" reports correctly the docker compose version installed.</p>

2.4 Postgres installation

2.4.1 Pre-Requirement

Before the Postgres installation in docker mode it is necessary the Java installation.

This procedure is referred to the Java installation.

Java version required by GSS: 17 and after (the procedure below is for version 17).

Table 5 Java installation procedure

Step ID	Step Description	Expected Results
1	<p>As Administrator, access via SSH to the VM where Java should be installed.</p> <p>Log in as root user. The first step is to remove the old Java version:</p> <p>Public Repository</p> <ol style="list-style-type: none"> 1) apt-get remove openjdk* 2) apt-get remove --auto-remove openjdk* 3) apt-get purge openjdk* <p>Private Repository</p> <ol style="list-style-type: none"> 1. apt-get --autoremove jdk* 	<p>The old Java version is removed</p>

<p>2</p>	<p>Download the Java SE Development Kit 17 package and install it using one of these procedures:</p> <p>Private Repository</p> <ul style="list-style-type: none"> wget https://download.oracle.com/java/17/archive/jdk-17_linux-x64_bin.deb apt install ./jdk-17_linux-x64_bin.deb <p>Public Repository</p> <ul style="list-style-type: none"> wget https://download.java.net/java/GA/jdk17/0d483333a00540d886896bac774ff48b/35/GPL/openjdk-17_linux-x64_bin.tar.gz tar -xvzf openjdk-17_linux-x64_bin.tar.gz cd jdk-17 mkdir -p /usr/lib/jvm/openjdk-17 mv * /usr/lib/jvm/openjdk-17 	<p>Java 17 is installed</p>
<p>3</p>	<p>Configure the Java environment:</p> <p>Private Repository</p> <p>From terminal, execute:</p> <ul style="list-style-type: none"> cat <<EOF sudo tee /etc/profile.d/jdk.sh export JAVA_HOME=/usr/lib/jvm/jdk-17/ export PATH=\$PATH:\$JAVA_HOME/bin EOF <p>Public Repository</p> <p>From terminal, execute:</p> <ul style="list-style-type: none"> export JAVA_HOME=/usr/lib/jvm/openjdk-17 export PATH=\$JAVA_HOME/bin:\$PATH source ~/.bashrc 	<p>Java env is configured</p>
<p>4</p>	<p>Installation Check:</p> <p>Private Repository</p> <p>From the terminal, execute:</p> <ol style="list-style-type: none"> source /etc/profile.d/jdk.sh java -version <p>Public Repository</p> <p>From the terminal, execute:</p> <ol style="list-style-type: none"> java -version echo \$JAVA_HOME 	<p>The Java software is correctly installed and the exposed version is the expected one.</p>

2.4.2 Installation

This procedure is referred to 13.4 Postgres version.

Postgres version required by GSS: 10.12 and after

Table 6 Postgres installation procedure

Step ID	Step Description	Expected Results
1	<p>To install and configure Postgres 13.4 pull the Postgres docker image:</p> <ul style="list-style-type: none"> docker pull postgres:13.4 <p>To check if Postgres docker image has been pulled successfully, execute:</p> <ul style="list-style-type: none"> docker image list <p>To run Postgres docker image, execute:</p> <ul style="list-style-type: none"> docker run --name postgres_13.4 -e POSTGRES_PASSWORD=<password> -d -p 5432:5432 postgres:13.4 -N 2100 <p>Finally, to install Postgres, execute:</p> <ul style="list-style-type: none"> sudo apt -y install postgresql postgresql-client 	Postgres is correctly installed and configured
2	<p>To create the first Database execute the following commands on terminal:</p> <ol style="list-style-type: none"> psql -h localhost -U postgres (insert the password to access) CREATE DATABASE gss; exit 	The Postgres database is correctly created.

2.5 SOLR installation

2.5.1 Pre-Requisite

Before the SOLR installation in docker mode it is necessary the Java installation.

The Java installation procedure is highlighted in 2.4.1.

2.5.2 Installation

This procedure applies to Solr 9.0.0

Solr version required by GSS: 8.0.0 and after

Table 7 Solr installation procedure

Step ID	Step Description	Expected Results
1	<p>As Administrator, access via SSH to the VM where the SOLR should be installed.</p> <p>Following these steps:</p> <ul style="list-style-type: none"> Open the "docker-compose.yml" compose file (otherwise, create it with the command "vi docker-compose.yml") and configure it as follows: <pre> version: '3.7' services: solr-1: image: solr:9.0.0 container_name: solr-1 volumes: - <path_to_folder>/solr- data:/var/solr ports: - 8983:8983 environment: - SOLR_HOST=<IP> - ZK_HOST=zoo-1 - SOLR_OPTS=- Dsolr.autoCommit.maxTime=6000 - Dsolr.autoSoftCommit.maxTime=3000 depends_on: - zoo-1 zoo-1: image: zookeeper:3.8 container_name: zoo-1 restart: always hostname: zoo-1 volumes: - <path_too_folder>/zoo1:/data ports: - 2181:2181 environment: ZOO_MY_ID: 1 ZOO_SERVERS: server.1=10.21.2.10:2888:3888;2181 </pre>	<p>SOLR configuration file created. SOLR and Zookeeper configurations set correctly</p>

2	Run, sequentially, the following commands to complete the installation: 1 docker-compose -f docker-compose.yml up -d zoo-1 2 docker-compose -f docker-compose.yml up -d solr-1	Zookeeper and SOLR installation are performed successfully
3	Create the new collection on SOLR with the command: 1 docker exec solr-1 solr create_collection -c gss	The new collection is correctly created on SOLR
4	For the SOLR initialization use the following commands: 1 docker exec -u root -it solr-1 /bin/bash 2 wget -O /opt/solr/server/solr-webapp/webapp/WEB-INF/lib/jts-core-1.19.0.jar https://repo1.maven.org/maven2/org/locationtech/jts/jts-core/1.19.0/jts-core-1.19.0.jar 3 exit 4 docker restart <container_solr>	SOLR is correctly initialized

2.5.3 Contingency: No space left on containers

It could happen that Solr and Zookeeper saturate the space in the container where they are writing. As consequence, the restart of both applications fails and a manual intervention is needed.

In order to clean device space, the following command can be executed:

```
docker system prune -a -f
```

If this does not improve the situation, the involved containers shall be cleaned and Docker shall be uninstalled, by following the Procedure below.

Table 8 Resolution no space left on container procedure

Step ID	Step Description	Expected Results
1	As Administrator, access via SSH to the VM where the docker compose is installed. Log in as root user and delete the content of the following folders: 1) cd /var/lib/docker 2) rm -rf containers/* 3) rm -rf overlay2/*	The content of both folders is correctly deleted.
2	Delete all the docker components present in the machine. 1) apt-get purge -y docker-engine docker docker.io docker-ce docker-ce-cli docker-compose-plugin docker-ce-rootless-extras golang-docker-credential-helpers docker-buildx-plugin 2) apt-get autoremove -y docker-engine docker docker.io docker-ce docker-ce-cli docker-compose-plugin docker-ce-	All the docker components are correctly deleted.

	rootless-extras golang-docker-credential-helpers docker-buildx-plugin	
3	<p>Delete all the images, containers, volumes, or user created configuration files on your host.</p> <ol style="list-style-type: none"> 1) rm -rf /var/lib/docker /etc/docker 2) rm /etc/apparmor.d/docker 3) groupdel docker 4) rm -rf /var/run/docker.sock 5) rm -rf /var/lib/containerd 	All the images, containers, volumes, or user created configuration files are correctly deleted

2.6 Kafka installation

This procedure applies to the latest Kafka version.

Kafka version required by GSS: 3.3.1 and after.

Table 9 Kafka installation procedure

Step ID	Step Description	Expected Results
1	<p>As Administrator, access via SSH to the VM where Kafka should be installed.</p> <p>Following these steps:</p> <ul style="list-style-type: none"> Open the "docker-compose.yml" compose file (otherwise, create it with the command "vi docker-compose.yml") and configure it as follows: <pre> version: '3' services: zookeeper: image: bitnami/zookeeper:latest container_name: zookeeper ports: - "2181:2181" environment: - ALLOW_ANONYMOUS_LOGIN=yes kafka: image: bitnami/kafka:latest container_name: kafka ports: - "9092:9092" environment: - KAFKA_BROKER_ID=1 - KAFKA_NUM_PARTITIONS=10 - KAFKA_CFG_ADVERTISED_LISTENERS=PLAINTEXT://<IP_MACHINE>:2181 - KAFKA_CFG_ZOOKEEPER_CONNECT=zookeeper:2181 - ALLOW_PLAINTEXT_LISTENER=yes depends_on: </pre>	<p>Kafka configuration file created.</p> <p>Zookeeper and Kafka configurations set correctly</p>

<code>- zookeeper</code>		
2	Run, sequentially, the following commands to complete the installation:	Zookeeper and Kafka installation are performed successfully
3	<code>docker-compose -f docker-compose.yml up -d zookeeper</code>	
4	<code>docker-compose -f docker-compose.yml up -d kafka</code>	